

EVERPURE®

Kilden til rent drikkevand



PENTAIR

EVERPURE®

4C²

Filter cartridge for premium quality water.

Exclusive precoat filtration provides superior Chlorine taste & odor reduction, and micro-filters dirt and particles as small as 0.2µ - micron in size by mechanical means.

NSF/ANSI standard 53 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means.

*Validated by ISO 17025 accredited lab for 99.999% reduction of Pseudomonas aeruginosa following the ASTM F231-05 protocol for the validation of 0.2 µm sterilizing grade filters.

System tested and certified to NSF International against NSF/ANSI standard 42 and 53 for reduction of:

STANDARD 42 - AESTHETIC EFFECTS
Bacteriostatic Effects
Chlorine Reduction
Taste and Odor
Discoloration

Mechanical Filtration
Removal Particles Class I

STANDARD 53 - HEALTH EFFECTS
Mechanical Filtration
Turbidity

Everpure Worldwide Headquarters
100 Mountain Blvd • Pentair Park, IL 60133 USA
Tel: 847.276.1700 Fax: 847.267.2400
Email: everpure@pentair.com


www.everpure.com

EVERPURE®

Cartridge Model
EV9605-SI

EVERPURE®

LIVET ER RENT VAND



submicronfiltration

Vær tryk ved dit drikkevand

Tænk du over, hvad der kan være i dit drikkevand? EVERPURE® renser dit vand, så du kan være helt tryk. EVERPURE® filterpatron monteres direkte på den kolde vandledning under køkkenvasken og fjerner uønskede stoffer som mikroplast, tungmetaller, pesticid-rester, bakterier og klor. Filteret fjerner også dårlig lugt og smag, så du kan nyde den rene smag af vand. Fordi det rene vand er livet værd.

- INGEN MIKROPLAST
- INGEN BAKTERIER
- INGEN KLOR
- INGEN TUNGMETALLER
- FÆRRE PESTICIDRESTER

Nyd den rene vandsmag

Dit vand får bedre egenskaber i køkkenet. Du opnår en bedre aroma i kaffe og te, fordi smagsnoterne fra kaffebønner og teblade optages bedre i det helt rene vand. Du kan tappe fristende lækkert postevand og lave krystalklare isterninger. Verdenskendte restauranter bruger EVERPURE® i køkkenet.

- FRISTENDE LÆKKERT POSTEVAND
- KRYSTALKLARE ISTERNINGER
- BEDRE AROMA I KAFFE OG TE
- PERFEKT VAND TIL MADLAVNING



RC SERVICE
4040 2104

SPECIFIKATIONER

KAPACITET

14.952 liter

TRYKKRAV

10-125 psi (0,7-8,6 bar), ikke-chok

TEMPERATUROMFANG

2-38°C

DIMENSIONER

L: 368 mm x D: 82 mm


PRODUKTNUMMERE

EV960550 - Enkel patron

EV960556 - 6-styk

GODKENDELSER

Fødevaregodkendt under EU norm 2001/1935 og 2011/10



TILBEHØRSPAKKE



System Tested and Certified by NSF International against NSF/ANSI Standard 42 and 53 for reduction of:

STANDARD NO. 42

AESTHETIC EFFECTS

- Bacteriostatic Effects
- Chemical Reduction
 - Taste and Odour
 - Chlorine
- Mechanical Filtration
 - Nominal Particulate Class I

STANDARD NO. 53 - HEALT EFFECTS

- Mechanical Filtration
- Cyst Reduction



RC SERVICE
4040 2104

v/ Ryan Cordes

Landrovej 5
5800 Nyborg

tlf.: +45 4040 2104

mail: info@rcservice.eu
www.rcservice.eu

